

Effective Jan/2020
Revised Apr/2020



Take the Lead




Ice Cube Machines

Under Counter
Modular
Storage Bin
Flake & Nugget
Snow Flake
Dispenser



A Brand that stands for Quality and Value

UNDER COUNTER AIR COOLED



IU-0070

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs	inch	lbs (Net / Gross)	
IU-0070-OU	26	15 x 26 x 34	104 / 119	GOURMET/ BELL
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	11.15	60 lbs	48 lbs



WC-0070

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs	inch	lbs (Net / Gross)	
WC-0070-AB	29	16 x 19 x 31	110 / 115	GOURMET / BELL
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	12.35	70 lbs	54 lbs



WU-0100

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs	inch	lbs (Net / Gross)	
WU-0100-AC	27	21 x 23 x 35	110 / 115	CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	9.39	105 lbs	74 lbs



IU-0170



MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs	inch	lbs (Net / Gross)	
IU-0170-AC	77	26 x 27 x 38	154 / 172	CUBE
IU-0170-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	8.62	175 lbs	140 lbs



IU-0220

MODEL	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs	inch	lbs (Net / Gross)	
IU-0220-AC	77	26 x 27 x 38	154 / 172	CUBE
IU-0220-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	8.62	202 lbs	150 lbs

MODULAR (22") AIR COOLED



IM-0350-22

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE	
		inch	lbs (Net / Gross)		
IM-0350-AC-22	IB-026-22 / IB-033	22 x 25 x 23	138.9 / 163.1	CUBE	
IM-0350-AH-22				HALF CUBE	
CONDENSER		ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled		115 V/60 Hz/1 Ph	6.20	394 lbs	311 lbs



IM-0460-22

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE	
		inch	lbs (Net / Gross)		
IM-0460-AC-22	IB-026-22 IB-033/ IB-044	22 x 25 x 23	143.3 / 167.6	CUBE	
IM-0460-AH-22				HALF CUBE	
CONDENSER		ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled		115 V/60 Hz/1 Ph	6.21	443 lbs	331 lbs



IM-0550-22

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE	
		inch	lbs (Net / Gross)		
IM-0550-AC-22	IB-026-22 IB-033 / IB-044	22 x 25 x 23	143.3 / 167.6	CUBE	
IM-0550-AH-22				HALF CUBE	
CONDENSER		ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled		115 V/60 Hz/1 Ph	6.00	508 lbs	386 lbs

STORAGE BIN



IB-026-22

MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lb	inch	lb
IB-026-22	IM-0350-22 IM-0460-22 IM-0550-22 IM-0680 IM-0750 IM-0770	265	22 x 34 x 38 (Without legs)	99



IB-044

MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lb	inch	lb
IB-044	IM-0350 / IM-0460 / IM-0550 / IM-0680 / IM-0750 / IM-1100 / IM-0770	440	30 x 34 x 46 (Without legs)	143



IB-033



MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lb	inch	lb
IB-033	IM-0350/22 IM-0460/22 IM-0550/22 IM-0680 IM-0750 IM-0770	350	30 x 34 x 38 (Without legs)	121



IB-M900-48

MODEL	APPLICABLE	STORAGE CAPACITY	DIMENSION (WxDxH)	WEIGHT
		lb	inch	lb
IB-M900-48	IM-0680 / IM-0750 / IM-1100 / IM-0770	900	48 x 31 x 50	210

MODULAR (30") AIR COOLED



IM-0350

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0350-AC	IB-033 / IB-044	30 x 25 x 23	152.1 / 176.4	CUBE
IM-0350-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	6.20	367 lbs	304 lbs



IM-0460

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0460-AC	IB-033 / IB-044	30 x 25 x 23	162.3 / 192.9	CUBE
IM-0460-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	5.43	444 lbs	364 lbs



IM-0550

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0550-AC	IB-033 / IB-044	30 x 25 x 23	162.3 / 192.9	CUBE
IM-0550-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	115 V/60 Hz/1 Ph	5.91	551 lbs	399 lbs



IM-0750

* Replaces IM-0680



MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0750-AC	IB-033 / IB-044 / IB-M900-48	30 x 25 x 23	185.2 / 216.1	CUBE
IM-0750-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208~230 V/60 Hz/1 Ph	5.50	737 lbs	584 lbs



IM-1100

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-1100-AC	IB-044 / IB-M900-48	30 x 25 x 30	231.5 / 264.6	CUBE
IM-1100-AH				HALF CUBE
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Air Cooled	208~230 V/60 Hz/1 Ph	4.99	1106 lbs	875 lbs

MODULAR (30") WATER COOLED



IM-0460



MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0460-WC	IB-033 / IB-044	30 x 25 x 23	159.8 / 190.7	CUBE
IM-0460-WH				HALF CUBE
CONDENSER	ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Water Cooled	115 V/60 Hz/1 Ph	4.56	463 lbs	407 lbs

IM-0550



MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-0550-WC	IB-033 / IB-044	22 x 25 x 23	159.8 / 190.7	CUBE
IM-0550-WH				HALF CUBE
CONDENSER	ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Water Cooled	115 V/60 Hz/1 Ph	4.53	547 lbs	483 lbs

IM-1100



MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-1100-WC	IB-044 / IB-M900-48	30 x 25 x 30	216 / 249.1	CUBE
IM-1100-WH				HALF CUBE
CONDENSER	ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Water Cooled	208~230 V/60 Hz/1 Ph	4.13	1036 lbs	1004 lbs

REMOTE AIR COOLED

IM-1100



MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
		inch	lbs (Net / Gross)	
IM-1100-RC	IB-044 / IB-M900-48	30 x 25 x 30	202 / 235.1	CUBE
IM-1100-RH				HALF CUBE
CONDENSER	ELECTRICAL	Power (kWh / 100 lbs ice)	Air / Water 70°F / 50°F	Air / Water 90°F / 70°F
Remote Air Cooled	208~230 V/60 Hz/1 Ph	4.62	1118 lbs	976 lbs



Condensing Unit (pre-charged)

IRC-1100



Tubing (pre-charged)


IRT-20R404A (20ft)
IRT-35R404A (35ft)
IRT-50R404A (50ft)

FLAKE & NUGGET

- ✓ 22" SLIM DESIGN
- ✓ ADOPTED SLEEVE BEARING FOR HYGIENE IMPROVEMENT



FLAKE



NUGGET



FLAKE CUTTER



FLAKE EXTRUDING HEAD



NUGGET CUTTER



NUGGET EXTRUDING HEAD



AUGER

IM-0770

MODEL	STORAGE BIN OPTION	DIMENSION (WxDxH)		WEIGHT
		inch (Net)		lbs (Net / Gross)
IM-0770-AN/AF	IB-026-22 / IB-033 / IB-044 / IB-M900-48	22 x 25 x 26		174 / 207
CONDENSER	ELECTRICAL	ICE SHAPE		
Air Cooled	115V/60Hz/1Ph	FLAKE		NUGGET
Air / Water 70°F / 50°F		Air / Water 90°F / 70°F		
760 lbs – FLAKE 717 lbs – NUGGET		595 lbs – FLAKE 562 lbs – NUGGET		

SNOW FLAKE

- ✓ ADOPTED THE FREEZE CYCLE APPLIED ON SOFT ICE CREAM FREEZER
- ✓ BEST DESIGN FOR HYGIENE IMPROVEMENT & EASY MAINTENANCE
- ✓ WORLD STANDARD OF SNOW FLAKE ICE MACHINE



IS-0700-AS

MODEL	PRODUCTION CAPACITY (MILK)	PRODUCTION CAPACITY (WATER)	STORAGE CAPACITY
	lbs	lbs	gal
IS-0700-AS	1091	705	14
CONDENSER	ELECTRICAL	DIMENSION (WxDxH)	WEIGHT
Air Cooled	208~230 V/60 Hz/1 Ph	inch 21 x 30 x 56	lbs (Net / Gross) 335 / 392

DISPENSER ICE MACHINE



ID-0300-AN




BUILT-In type.
- Air ventilation on the top.

THREE MODES.
(ICE / WATER / ICE & WATER)



Optics Serving Antibacterial System
- No hand touch dispensing
- UV Sensor



Swing Type Front Door

ID-0300-AN

MODEL	STORAGE CAPACITY		DIMENSION (WxDxH)	WEIGHT	ICE SHAPE
	lbs		inch (with out legs)	lbs (Net / Gross)	
ID-0300-AN	11		17 x 25 x 28	145.5 / 177.5	NUGGET
CONDENSER	ELECTRICAL OPTIONS	Power (kWh / 100 lbs ice)	Air / Water 21°C(70°F) / 10°C(50°F)	Air / Water 32°C(90°F) / 21°C(70°F)	
Air Cooled	115V/60Hz/1Ph	6.5	282 lbs	206 lbs	

※ Design and Specification are subject to change without notice



ICETROAMERICA.COM



A BRAND THAT STANDS FOR QUALITY AND VALUE

The ICETRO team is committed to providing high-performance frozen food equipment products not only to satisfy our customers' need but add value to the equipment investment.

ICETRO America strives to build long-lasting high-quality products that deliver the best value in creating COOL HAPPINESS to our valuable customers.

We aim to continue as the leading provider of high-quality frozen food equipment through continuous improvements in SIMPLICITY of design, product RELIABILITY & LONGEVITY, and superior PERFORMANCE.



SIMPLICITY



RELIABILITY



LONGEVITY



PERFORMANCE



Revised APR/2020



1565 West Broadway, Anaheim, CA 92802

Tel: (714) 215 - 4864

Website: www.icetroamerica.com

E-mail: icetro@icetroamerica.com

Distributed by :

